

12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com License#: 10029074C70

Rogue BC 0009

Sample ID: G2L0014-02

Matrix: Hemp Products

Test ID: 5026192 Source ID:

**Date Sampled: 12/01/22** 

Date Accepted: 12/01/22

Rogue Ales & Spirits

mattf@rogue.com

#### **Results at a Glance**

Total THC: <LOQ (0.00002%) %

Total CBD: 0.0066 %





Eric Wendt Chief Science Officer - 12/2/2022



12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

#### Rogue BC 0009

Sample ID: G2L0014-02

Matrix: Hemp Products

Test ID: 5026192

Source ID:

**Date Sampled: 12/01/22** 

Date Accepted: 12/01/22

Rogue Ales & Spirits

CBD

0.0 Total: 0.0

mattf@rogue.com

#### **Potency Analysis**

Analysis Method/SOP: 215 Batch Identification: 2249054 Date/Time Extracted: 12/01/22 11:24

				× / /	
Cannabinoids	LOQ (%)	mg/g	mg/unit		Cannabinoids Profile
Total THC	0.00002	< LOQ	< LOQ		
Total CBD	0.00002	0.066	31.2		
THCA	0.00002	< LOQ	< LOQ		
delta 9-THC	0.00002	< LOQ	< LOQ		
delta 8-THC	0.00091	< LOQ	< LOQ		
THCV	0.0007	< LOQ	< LOQ		
THCVA	0.0011	< LOQ	< LOQ		
CBD	0.00002	0.066	31.2		
CBDA	0.00002	< LOQ	< LOQ		
CBDV	0.00073	< LOQ	< LOQ		
CBDVA	0.0010	< LOQ	< LOQ	$\rightarrow$	
CBN	0.0007	< LOQ	< LOQ		
CBG	0.0008	< LOQ	< LOQ		
CBGA	0.0010	< LOQ	< LOQ	0.0	
CBC	0.0010	< LOQ	< LOQ		
		1			

Unit weight = 473 g as provided by client

Total THC = delta 9-THC + (THCA \* 0.877)

Total CBD = CBD + (CBDA \* 0.877) Total CBG = CBG + (CBGA \* 0.878)

LOQ=Limit of Quantification, the lowest measurable concentration of an analyte.





Eric Wendt Chief Science Officer - 12/2/2022

Page 2 of 4



12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com License#: 10029074C70

# Quality Control Potency

Batch: 2249054 - 215-Products

Blank(2249054-BLK1)							
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	< LOQ	0.0042	%		12/01/22 11:24	12/01/22 18:37	
delta 9-THC	< LOQ	0.0042	%		12/01/22 11:24	12/01/22 18:37	
delta 8-THC	< LOQ	0.1600	%		12/01/22 11:24	12/01/22 18:37	
THCV	< LOQ	0.1248	%		12/01/22 11:24	12/01/22 18:37	
THCVA	< LOQ	0.1868	%		12/01/22 11:24	12/01/22 18:37	
CBD	< LOQ	0.0042	%		12/01/22 11:24	12/01/22 18:37	
CBDA	< LOQ	0.0042	%		12/01/22 11:24	12/01/22 18:37	
CBDV	< LOQ	0.1285	%		12/01/22 11:24	12/01/22 18:37	
CBDVA	< LOQ	0.1764	%		12/01/22 11:24	12/01/22 18:37	
CBN	< LOQ	0.1154	%		12/01/22 11:24	12/01/22 18:37	
CBG	< LOQ	0.1342	%		12/01/22 11:24	12/01/22 18:37	
CBGA	< LOQ	0.1779	%		12/01/22 11:24	12/01/22 18:37	
CBC	< LOQ	0.1683	%		12/01/22 11:24	12/01/22 18:37	

Reference(2249054-SRM1)							
Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	110	0.0101	%	90-110	12/01/22 11:24	12/01/22 19:00	
delta 9-THC	99.2	0.0101	%	90-110	12/01/22 11:24	12/01/22 19:00	
delta 8-THC	102	0.3888	%	90-110	12/01/22 11:24	12/01/22 19:00	
CBD	99.5	0.0101	%	90-110	12/01/22 11:24	12/01/22 19:00	
CBDA	95.3	0.0101	%	90-110	12/01/22 11:24	12/01/22 19:00	







12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

manually for all samples.

### **Notes and Definitions**

Regulatory Compliance samples were collected onsite at facility according to ORELAP-SOP-001 and ORELAP-SOP-002 and following Sampling Plan FN117. Quality Control samples were tested as received. Results do not include uncertainty of measurements. Available upon request.

ATM BLI	Non-cannabis matrix related interference or suppression of Internal standard  Baseline Interference - Cannabinoid peak interference in chromatographic baseline affecting QC recovery.
BLK	Analyte detected in method blank, but not associated samples.
BSH	Blank Spike High - Blank Spike recovery above method limit. no detections in samples.
BSL	Blank Spike Low - Blank Spike recovery below lower method limit, analyte chromatography reviewed
С	manually for all samples.
CBD	Interference due to co-elution
CV1	CBD matrix interference on GC Pest chromatography
CV2	CCV was above acceptance criteria, Non-detect samples are considered acceptable.
INF	CCV was below acceptance criteria, sample still exceeds regulatory limit.
ISH	One or more QC falls outside acceptance criteria. Data entered into LIMS for informational purposes only.
ISL	Internal Standard concentration is above acceptance criteria.
MSH	Internal Standard concentration is below acceptance criteria.
MSI	Matrix Spike High - Matrix Spike recovery above method limits.
MSL	Matrix Spike Interference - Matrix spike source sample contains analyte hit above calibration affecting
TPP	recovery accuracy in Matrix Spike.
U	Matrix Spike Low - Matrix Spike recovery below lower method limit, analyte chromatography reviewed

Internal Standard concentration outside control limit due to matrix interference

