



Report Number:	24-005703/D001.R000
Report Date:	05/31/2024
ORELAP#:	OR100028
Purchase Order:	
Received:	05/23/24 10:25

Customer:	Rogue Ales
Product identity:	Pineapple Guava - 27040
Client/Metrc ID:	
Laboratory ID:	24-005703-0001

- -

Summary

Analyte per 473ml	Result	Limits	Units	Status	CBD-Total per Serving Size 26.5	 mg/473ml
CBD per 473ml	26.5		mg/473ml			
$\Delta 9$ -THCP per 473ml	0.000		mg/473ml		Delta-9-THC-Total per <loc< td=""><td>2</td></loc<>	2
					(Reported in milligrams per servi	ng)

Page 1 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number:	24-005703/D001.R000
Report Date:	05/31/2024
ORELAP#:	OR100028
Purchase Order:	
Received:	05/23/24 10:25

Customer:	Rogue Ales 2320 OSU Drive Newport Oregon 97365 United States of America (USA)
Product identity:	Pineapple Guava - 27040
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	24-005703-0001
Evidence of Cooling:	No
Temp:	17.2 °C
Serving Size #1:	473.946 g
Density:	1.002 g/ml

Sample Results

Potency per 473ml	Method: J AOAC 2015	V98-6 (mod) ^þ	Units mg/se Bate	ch: 2404113	Analyze: 5/29/24 5:21:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBD per 473ml	26.5		mg/473ml	0.474	
CBD-A per 473ml⊥	< LOQ		mg/473ml	0.474	
CBD-Total per 473ml⊥	26.5		mg/473ml	0.889	
CBG per 473ml	< LOQ		mg/473ml	0.474	
CBG-A per 473ml	< LOQ		mg/473ml	0.474	
CBG-Total per 473ml	< LOQ		mg/473ml	0.884	
CBN per 473ml	< LOQ		mg/473ml	0.474	
10-THC-9R per 473ml	< LOQ		mg/473ml	0.474	
10-THC-9S per 473ml	< LOQ		mg/473ml	0.474	
10-THC-Total per 473ml	< LOQ		mg/473ml	0.947	
∿8-THC per 473ml⊥	< LOQ		mg/473ml	0.474	
∿9-THC per 473ml⊥	< LOQ		mg/473ml	0.474	
9-THC-Total per 473ml	< LOQ		mg/473ml	0.889	
19-THCP per 473ml	0.000		mg/473ml	0.000	
THC-A per 473ml⊥	< LOQ		mg/473ml	0.474	

Page 2 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





 Report Number:
 24-005703/D001.R000

 Report Date:
 05/31/2024

 ORELAP#:
 OR100028

 Purchase Order:
 Received:

 05/23/24 10:25
 05/23/24 10:25

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

 $^{\flat}$ = ISO/IEC 17025:2017 accredited method. $^{\bot}$ = TNI accredited analyte.

Units of Measure

g = Gram g/ml = Gram per milliliter mg/473ml = Milligram per 473ml % = Percentage of sample % wt = μg/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 3 of 8

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





24-005703/D001.R000 **Report Number: Report Date:** 05/31/2024 **ORELAP#:** OR100028 **Purchase Order:** 05/23/24 10:25 **Received:**

	ES .		Hei Ch Orel ap ID: Or100	Rogue-Ales-and-Spirits 1716317759		
Company Details Company: <u>Roque Ales and S</u> Contact: <u>Matthew Fulcher</u> Street Address: <u>2320 SE OS</u> City, State, Zip: <u>Newport, ur</u> Email: <u>mattf @roque.com</u> Contact Phone: <u>9167598255</u> Company Phone: <u>9167598258</u> Billing Information Billing Phone: <u>9167598258</u> Billing Email: <u>mattf @roque</u>	<u>SU DR</u> nde_ned 97365-5261 3 58		Project Details Turnaround Time: <u>5 Busin</u> Relinquishment Sampling Compliance: <u>Research an</u> Receipt Information Pre-Log Storage: Canna S Sample Condition: Satisfa	g, Courier & Shipping O <u>d Development (RND)</u> Shelves	<u>to Testing Standard</u> ptions: <u>By Shipping Service (USPS, UPS, Fedex)</u>	Testing (gasic) Hod ency Cannabis (Basic) Hod ency Cannabis
# Sample Name	Material	Amount Provided	Reporting Unit	Serving Size	Additional Test Requests and Sample Con	nments
1 Pineapple Guava - 27040	Cannabinoid Beverage	50 ml	mg/serving	473 g	473mL	✓

Relinquished By	Date	Time	Received By	Date	Time	Received Temp., °C	Evidence of Cooling?
Matthew Falcher	05/21/2024	11:55	ont	05/23/2024	10;25	17,20	No

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the <u>current terms of services</u> associated with this CCC. By signing "Relinquished by" you are agreeing to these terms.

Columbia Laboratories 12423 NE WHitaker Way Portland, OR 97230

P: (503) 254-1794 info@columbialaboratories.com

Page 1 of 1 www.columbialaboratories.com

Page 4 of 8

Page 4 of 8 www.columbialaboratories.com Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	24-005703/D001.R000
Report Date:	05/31/2024
ORELAP#:	OR100028
Purchase Order:	
Received:	05/23/24 10:25

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

JAOAC2015 V986	986 Batch ID: 0									
Laboratory Control	Sample									
Analyte	LCS	Result	Spike	Units	%Rec	Limits	S	Evaluation	Notes	
CBDVA	2	0.0009	0.0009	%	100	80.0 -	120	Acceptable		
CBDV	2	0.00101	0.00100	%	100	80.0 -	120	Acceptable		
CÆ	2	0.0010	0.0010	%	99.8	80.0 -	120	Acceptable		
CBDA	1	0.0009	0.0009	%	101	90.0 -	110	Acceptable		
CBGA	1	0.0009	0.0009	%	98.0	80.0 -	120	Acceptable		
CBG	1	0.0009	0.0009	%	100	80.0 -	120	Acceptable		
CBD	1	0.0010	0.0010	%	101	90.0 -	110	Acceptable		
THCV	2	0.00100	0.00101	%	99.9	80.0 -	120	Acceptable		
d8THCV	2	0.0010	0.0010	%	99.8	80.0 -	120	Acceptable		
THCVA	2	0.0009	0.0009	%	100	80.0 -	120	Acceptable		
CBN	1	0.0009	0.0009	%	102	80.0 -	120	Acceptable		
exo-THC	2	0.0010	0.0010	%	100	80.0 -	120	Acceptable		
d9THC	1	0.00101	0.0010	%	104	90.0 -	110	Acceptable		
d8THC	1	0.0010	0.0009	%	102	90.0 -	110	Acceptable		
9Sd10THC	1	0.0010	0.0009	%	102	80.0 -	120	Acceptable		
CBL	2	0.0009	0.0009	%	104	80.0 -	120	Acceptable		
9R-d10THC	1	0.0009	0.00101	%	92.2	80.0 -	120	Acceptable		
CBC	2	0.0009	0.0009	%	99.5	80.0 -	120	Acceptable		
THCA	1	0.0009	0.0009	%	100	90.0 -	110	Acceptable		
CBCA	2	0.0010	0.0010	%	100.0	80.0 -	120	Acceptable		
CBLA	2	0.0010	0.0010	%	100	80.0 -	120	Acceptable		
d9THCP	2	0.0010	0.0010	%	100	80.0 -	120	Acceptable		
СВГ	2	0.0010	0.0010	%	99.8	80.0 -	120	Acceptable		
Method Bank										
Analyte		sult	LOQ	-	Units	Limite		Evaluation	Notes	
CBDVA		LOQ	0.0001		%	< 0.000		Acceptable		
CBDV		LOQ	0.0001		%	< 0.000		Acceptable		
CEE			0.0001		%	< 0.000		Acceptable		
CBDA		_OQ	0.0001		%	< 0.000		Acceptable		
CBGA			0.0001		%	< 0.000		Acceptable		
CBG			0.0001		%	< 0.000	-	Acceptable		
CBD			0.0001		%	< 0.000		Acceptable		
			0.0001		%	< 0.000		Acceptable		
d8THCV			0.0001		%	< 0.000		Acceptable		
THCVA			0.0001		%	< 0.000		Acceptable		
CBN exo-THC		_0Q _0Q	0.0001	%		< 0.000		Acceptable		
exo-THC d9THC				%			-	Acceptable		
d9THC		_0Q _0Q	0.0001		%	< 0.000		Acceptable		
9Sd10THC		_0Q _0Q	0.0001	%		< 0.000		Acceptable Acceptable		
			0.0001		%	< 0.000		Acceptable		
9R-d10THC		_0Q _0Q	0.0001		%	< 0.000		Acceptable		
CBC			0.0001		%	< 0.000	-	Acceptable		
THCA			0.0001		%	< 0.000		Acceptable		
CBCA			0.0001		%	< 0.000		Acceptable		
CLA			0.0001		%	< 0.000		Acceptable		
d9THCP			0.0001		%	< 0.000		Acceptable		
CB			0.0001		%	< 0.000		Acceptable		
			0.0001		/0	< 0.000	71	LICERIANE		

Abbreviations

ND- None Detected at or above MRL

RPD - Relative Percent Difference

LOQ- Limit of Quartitation

Units of Measure:

%- Percent

 Www.columbialaboratories.com
 Page 5 of 8

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number:	24-005703/D001.R000
Report Date:	05/31/2024
ORELAP#:	OR100028
Purchase Order:	
Received:	05/23/24 10:25

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

JAOAC2015 V986	Batch ID: 0								
Sample Duplicate	Sample ID: 24-0057030001								
Analyte	Result	Org. R e ult	LOQ	Units	RFD	Limits	Evaluation	Notes	
CBDVA	<loq< th=""><th><loq< th=""><th>0.0001</th><th>%</th><th>NA</th><th>< 20</th><th>Acceptable</th><th></th></loq<></th></loq<>	<loq< th=""><th>0.0001</th><th>%</th><th>NA</th><th>< 20</th><th>Acceptable</th><th></th></loq<>	0.0001	%	NA	< 20	Acceptable		
CBDV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CEE	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBDA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBGA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBG	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBD	0.00558	0.00560	0.0001	%	0.337	< 20	Acceptable		
THCV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
d8THCV	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
THCVA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBN	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
exo-THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
d9THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
d8THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
9Sd10THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBL	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBC	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
THCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBCA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBLA	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
d9THCP	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		
CBT	<loq< td=""><td><loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0001</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0001	%	NA	< 20	Acceptable		

Abbreviations

ND- None Detected at or above MRL RPD - Relative Percent Difference LOQ- Limit of Quantitation

Units of Measure:

%- Percent

Page 6 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number:	24-005703/D001.R000
Report Date:	05/31/2024
ORELAP#:	OR100028
Purchase Order:	
Received:	05/23/24 10:25



Page 7 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number: 24-005703/D001.R000 **Report Date:** 05/31/2024 **ORELAP#:** OR100028 **Purchase Order: Received:** 05/23/24 10:25

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

Page 8 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430